

JY NATS 2021_22 - TGA



Oil Pattern Distance Forward Oil Total Tank Configuration 43 14.85 mL N/A Reverse Brush Drop Reverse Oil Total Tank A Conditioner 37 13.7 mL Terrain Oil Per Board Volume Oil Total Tank B Conditioner

50 ul 28.55 mL Terrain

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	1	10	Α	37	0.0	0.0	0.0	1850
2	6L	6R	1	10	Α	29	0.0	1.4	1.4	1450
3	7L	7R	2	10	Α	54	1.4	4.2	2.8	2700
4	10L	10R	2	10	Α	42	4.2	7.0	2.8	2100
5	12L	12R	3	10	Α	51	7.0	11.2	4.2	2550
6	13L	13R	3	14	Α	45	11.2	17.1	5.9	2250
7	14L	14R	3	18	Α	39	17.1	24.7	7.6	1950
8	2L	2R	0	18	Α	0	24.7	29.0	4.3	0
9	2L	2R	0	22	Α	0	29.0	34.0	5.0	0
10	2L	2R	0	26	Α	0	34.0	38.0	4.0	0
11	2L	2R	0	30	Α	0	38.0	43.0	5.0	0

1 2L 2R 0 26 A 0 43.0 35.0 -8.0 0 2 13L 13R 2 22 A 30 35.0 28.8 -6.2 1500 3 12L 12R 2 18 A 34 28.8 23.7 -5.1 1700 4 12L 12R 2 14 A 34 23.7 19.8 -3.9 1700 5 10L 10R 1 14 A 21 19.8 17.9 -1.9 1050 6 9L 9R 1 14 A 23 17.9 16.0 -1.9 1150 7 7L 7R 1 14 A 27 16.0 14.1 -1.9 1350 8 5L 5R 1 14 A 31 14.1 12.2 -1.9 1550 9 2L 2R 2 10 A 74 12.2 9.4 -2.8 3700 10 2L 2R 0 10 A 0 9.4 0.0 -9.4 0		START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
3 12L 12R 2 18 A 34 28.8 23.7 -5.1 1700 4 12L 12R 2 14 A 34 23.7 19.8 -3.9 1700 5 10L 10R 1 14 A 21 19.8 17.9 -1.9 1050 6 9L 9R 1 14 A 23 17.9 16.0 -1.9 1150 7 7L 7R 1 14 A 27 16.0 14.1 -1.9 1350 8 5L 5R 1 14 A 31 14.1 12.2 -1.9 1550 9 2L 2R 2 10 A 74 12.2 9.4 -2.8 3700	1	2L	2R	0	26	Α	0	43.0	35.0	-8.0	0
4 12L 12R 2 14 A 34 23.7 19.8 -3.9 1700 5 10L 10R 1 14 A 21 19.8 17.9 -1.9 1050 6 9L 9R 1 14 A 23 17.9 16.0 -1.9 1150 7 7L 7R 1 14 A 27 16.0 14.1 -1.9 1350 8 5L 5R 1 14 A 31 14.1 12.2 -1.9 1550 9 2L 2R 2 10 A 74 12.2 9.4 -2.8 3700	2	13L	13R	2	22	Α	30	35.0	28.8	-6.2	1500
5 10L 10R 1 14 A 21 19.8 17.9 -1.9 1050 6 9L 9R 1 14 A 23 17.9 16.0 -1.9 1150 7 7L 7R 1 14 A 27 16.0 14.1 -1.9 1350 8 5L 5R 1 14 A 31 14.1 12.2 -1.9 1550 9 2L 2R 2 10 A 74 12.2 9.4 -2.8 3700	3	12L	12R	2	18	Α	34	28.8	23.7	-5.1	1700
6 9L 9R 1 14 A 23 17.9 16.0 -1.9 1150 7 7L 7R 1 14 A 27 16.0 14.1 -1.9 1350 8 5L 5R 1 14 A 31 14.1 12.2 -1.9 1550 9 2L 2R 2 10 A 74 12.2 9.4 -2.8 3700	4	12L	12R	2	14	Α	34	23.7	19.8	-3.9	1700
7 7L 7R 1 14 A 27 16.0 14.1 -1.9 1350 8 5L 5R 1 14 A 31 14.1 12.2 -1.9 1550 9 2L 2R 2 10 A 74 12.2 9.4 -2.8 3700	5	10L	10R	1	14	Α	21	19.8	17.9	-1.9	1050
8 5L 5R 1 14 A 31 14.1 12.2 -1.9 1550 9 2L 2R 2 10 A 74 12.2 9.4 -2.8 3700	6	9L	9R	1	14	Α	23	17.9	16.0	-1.9	1150
9 2L 2R 2 10 A 74 12.2 9.4 -2.8 3700	7	7L	7R	1	14	Α	27	16.0	14.1	-1.9	1350
	8	5L	5R	1	14	Α	31	14.1	12.2	-1.9	1550
10 2L 2R 0 10 A 0 9.4 0.0 -9.4 0	9	2L	2R	2	10	Α	74	12.2	9.4	-2.8	3700
	10	2L	2R	0	10	Α	0	9.4	0.0	-9.4	0

Cleaner Ratio Main Mix 5:1
Cleaner Ratio Back End Mix 5:1
Cleaner Ratio Back End Distance 59
Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

5:1 Forward5:1 Reverse59 Combined



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	MIddle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	5.87	2.25	1.02	1.02	2,25	5.87



